



GENERAL RISK ASSESSMENT FORM

Site/Area:

Address:

.....

Assessed by (PRINT):.....

Signed:

Date:

.....

Assessed by (PRINT):.....

Signed:

Date:

ACTIVITY	HAZARD(S)	PERSONS AT RISK	EXISTING CONTROL MEASURES	RESIDUAL RISK (H.M.L.)	FURTHER ACTION NEEDED

Reviewed by: Date:
.....

Reviewed by: Date:



GENERAL RISK ASSESSMENT

Precautions to be taken by Staff

CONGENITAL VIRUS CYTOMEGALO

This condition can be spread through saliva and urine, therefore the following precautions should be carried out whilst at Vranch House.

When changing pads or nappies, ensure gloves are worn and hands are washed afterwards.

Hands should be washed or alcohol gel applied before carrying out activities with other children.

Toys used in school should be washed thoroughly in hot soapy water and dried.

Plinth and toilet seat must be cleaned thoroughly with hot soapy water and dried. Disinfectant and anti-bacterial spray or wipes must be used between each user.

Anyone who is pregnant should be made aware of this condition and they are advised not to have any contact.

ADVICE TO PREGNANT MUMS

You should not have one to one contact with the child.

Children often have viral infections without showing signs of infection.

Viruses are often transmitted in body fluids, such as saliva, nasal secretions, urine and faeces.

Conscientious attention to hand hygiene after handling toys and other equipment that have been in the mouths of children is important.

A good standard of general hygiene and use of soaps, hand gel and gloves will prevent cross infection.



GENERAL RISK ASSESSMENT

Management and Control of MRSA At Vranch House School

Methicillen-resistant Staphylococcus Aureus (MRSA)

A bacterial infection, which is resistant to the usual antibiotics.

Staph A (it's shortened name) can be carried on the skin, can be present in the nose or blood of healthy people.

The elderly, the very ill or those with reduced immune systems are most at risk of becoming infected.

The prevention of MRSA by Vranch House Staff is based upon standard precautions, which are already in place.

Hand washing – wash hands before and after physical contact. Use the alcohol hand gel provided.

Gloves – wear gloves when touching contaminated materials and wash hands afterwards.

Aprons – In toilet area or cleaning up body fluids. Nappies are to be disposed of, these are double bagged.

Equipment – tables, trays, plinths and toilets to be cleaned using a disinfectant spray after use.